



Not only helps control the hazards of cross-contamination on treated hard, nonporous, environmental surfaces, but also kills many microorganisms that cause odors. For disinfecting hard, nonporous surfaces and is formulated for use in the schools, colleges, universities and office buildings, health care facilities, medical and dental offices, nursing homes, airports, and federally inspected meat and poultry plants.

Use on washable, hard nonporous surfaces of: appliances, bathtubs, cabinets, chairs, countertops, desks, doorknobs, floors, garbage cans, highchairs, outdoor furniture, exterior surfaces of residential refrigerators, shower stalls, bathroom and kitchen sinks, stovetops, tables, picnic tables, telephones, toilet bowls, toilet bowl surfaces, tubs, urinals, walls and hard nonporous surfaces made of: Formica® Formica® laminated surfaces, glazed ceramic, glazed enameled surfaces, glazed porcelain, metal, plastic, sealed stone, stainless steel, vinyl and plastic upholstery, finished woodwork.

**Kills:** Pseudomonas aeruginosa, Staphylococcus aureus, Salmonella enterica, Streptococcus pyogenes, \*Herpes Simplex Virus Type 2 (Herpes), \*HIV-1 (the AIDS Virus), \*Influenza Type A / Brazil Virus (Influenza), Aspergillus niger, Trichophyton mentagrophytes (Athlete's Foot Fungus) (Cause of Ringworm).

**Kills Pandemic 2009 H1N1 influenza A virus (formerly called swine flu).**

**KITCHEN:** Kitchen floors collect both traffic dirt and kitchen germs. Use anywhere greasy dirt is a problem.

**BATHROOM:** Great for cleaning and deodorizing basins, tubs, and glazed tiles. Leaves everything bright and clean, kills odor-causing bacteria. Odors disappear instantly. Use where odors are a problem.

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

**DISINFECTANT\*/VIRUCIDAL/FUNGICIDAL/MOLD & MILDEW DIRECTIONS:** If surfaces are visibly dirty preclean first. Spray 6 - 8 inches from surface, until surfaces are thoroughly wet. Rub with a brush, sponge or cloth. Treated surfaces must remain wet for 10 minutes. Wipe dry with a clean cloth, or sponge or allow to air dry. Rinsing is not necessary on floor surfaces that are to be waxed or polished. For mold and mildew control, repeat application weekly or when growth reappears. Rinse all surfaces that come in contact with food such as countertops, appliances, tables and stovetops with potable water before reuse. This product should not be used to clean utensils, glassware and dishes.

This product is not for use on medical device surfaces.

**TO CLEAN AND DISINFECT TOILET BOWLS AND URINALS:** Remove gross filth from bowl. Remove or expel over the inner trap residual bowl water. Use 4 ounces of product in toilet bowl or urinal. Apply (squeeze) directly around bowl and under rim; then brush or swab thoroughly. Allow product to remain on surface for a contact time of 10 minutes; then flush toilet. This product, when used as directed, will not harm white or colored bowls or inanimate, hard surfaces. Close cap on container after use.

**TO CLEAN AND/OR DEODORIZE:** Apply by mop, sponge, cloth, or spray on hard, nonporous surfaces. Wipe dry with a clean cloth, or sponge, or allow to air dry. **For use in federally inspected meat and poultry plants:** For use on all surfaces in inedible product processing areas, non-processing areas, and/or exterior areas. Before using this product, food products and packaging materials must be removed or carefully protected, then follow the "Disinfection Directions" above.

Manufactured for:



2900 W. Kingsley Rd., • Garland, Texas 75041 • Formica® is a registered trademark of The Dillier Corporation  
800.527.5722 • www.carrollclean.com

PC 702

EPA Reg. No. 47371-97-4313  
EPA Est. No. 4313-TX-1

# BREEZE

READY TO USE  
GERMICIDE  
\*VIRUCIDAL - CLEANER  
DISINFECTANT - DEODORANT

**ACTIVE INGREDIENTS:**  
n-Alkyl (C<sub>14</sub> 60%, C<sub>16</sub> 30%, C<sub>12</sub> 5%, C<sub>18</sub> 5%)  
dimethyl benzyl ammonium chloride .....0.09%  
n-Alkyl (C<sub>12</sub> 50%, C<sub>14</sub> 30%, C<sub>16</sub> 17%, C<sub>18</sub> 3%)  
dimethyl ethylbenzyl ammonium chloride...0.09%  
**OTHER INGREDIENTS:**.....99.82%  
**Total** .....100.00%

### FIRST AID

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice. Have the product container or labels with you when calling a Poison Control Center or doctor or going for treatment.

**KEEP OUT OF REACH  
OF CHILDREN  
CAUTION:**  
See back panel for  
additional precautionary  
and first aid statements.



**SANITIZING NON-FOOD CONTACT SURFACES:** Use on washable hard nonporous surfaces: walls, floors, tables, garbage cans and telephones. The product is effective against Staphylococcus aureus and Enterobacter aerogenes in the presence of 5% serum. Apply by mop, sponge, cloth, or spray to thoroughly wet surfaces for a minimum contact time of 5 minutes. Wipe dry with a clean cloth or sponge or allow to air dry. Do not use in food preparation, food handling and food storage areas. Do not use to sanitize glassware, dishes or utensils.

**\*KILLS HIV-1 (AIDS VIRUS) ON PRECLEANED ENVIRONMENTAL SURFACES/OBJECTS PREVIOUSLY SOILED WITH BLOOD/BODY FLUIDS** in healthcare settings or other settings in which there is an expected likelihood of soiling of inanimate surfaces/objects with blood or body fluids, and in which the surfaces/objects likely to be soiled with blood or body fluids can be associated with the potential for transmission of Human Immunodeficiency Virus Type 1 (HIV-1) (associated with AIDS).

**SPECIAL INSTRUCTIONS FOR CLEANING AND DECONTAMINATION AGAINST HIV-1 (AIDS VIRUS) OF SURFACES/OBJECTS SOILED WITH BLOOD/BODY FLUIDS. PERSONAL PROTECTION:** Clean-up must always be done wearing protective gloves, gowns, masks and eye protection. **CLEANING PROCEDURES:** Blood and body fluids must be thoroughly cleaned from surfaces and objects before application of disinfectant. **CONTACT TIME:** Effective against HIV-1 (AIDS virus) on hard nonporous surfaces in the presence of a moderate amount of organic soil (5% blood serum) (providing 1800 ppm of active quaternary) for a contact time of 5 minutes at room temperature (20-25°C). Use a ten (10) minute contact time for disinfection against all other bacteria, fungi, and viruses claimed. **DISPOSAL OF INFECTIOUS MATERIALS:** Blood and other body fluids must be autoclaved and disposed of according to federal, state, and local regulations for infectious waste disposal.

### PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

**CAUTION:** Harmful if absorbed through the skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.

### STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. **Pesticide Storage:** Open dumping is prohibited. Store in original container in areas inaccessible to children. **Pesticide Disposal:** Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. **Container Disposal:** Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

702 -11-24-10 with 11-17-11 & 08-09-2016  
& CDPH 10-18-16

Medical Emergency 1-800-535-5053